

**INDUSTRY FIRST** 

**TapeMate RGB and RGBW** 


ALLOY L = D°

## **Revolutionary Design and Performance**

Alloy LED TapeMate connectors are UL Recognized – the only LED tape light terminal connectors in the industry to carry this distinction. Providing the safest, most reliable, and most secure connections, the TapeMate line-up now includes the industry's first RGB and RBGW terminal connectors.

The new TapeMate patent-pending design accommodates tape light as narrow as .40 in. (10 mm) for a much wider range of color-changing applications, while the high copper content construction provides exceptional corrosion resistance and unmatched connectivity.

Alloy LED manufactures an TapeMate connector for every LED tape light it offers, providing the most complete solution for the longest-lasting lighting installations. Best of all, TapeMate connectors are backed by a lifetime warranty when used with Alloy LED tape lights.





## We've Developed TapeMate with Our Customers in Mind!

- Compatible with Radialux RGB and RGBW tape lights
- High amp limit enables longer runs
- Compatible with solid core, tinned and stranded wire
- Includes a pre-attached 6-inch lead of 20 AWG, CL2 in-wall rated wire with tinned leads



AL-02-14-9900

AL-02-03-9900 AL-02-06-9900

AL-02-13-9900

AL-02-01-9900 AL-02-02-9900

## **Compatible Tape Lights** Always the Best. Never Less. Alloy LED offers everything you need, when you need it, backed by our guarantee of satisfaction. Radialux 2.2 RGB With premium quality across the board, Alloy LED has the largest selection of 95+ CRI products on the market today. Our customer support team is AL-02-01-9900 AL-02-02-9900 Radialux 4.4 RGB trained and empowered to make your purchase journey a pleasure, while our lightning-fast quotes and ship times ensure your project stays on track. Radialux 4.4 RGBW Simply put, if you aren't delighted with our products and services, we will make it right. That's our promise. AL-02-03-9900 AL-02-06-9900 Radialux 5.9 RGBW Email: orders@AlloyLED.com Call: 800.910.LEDS (5337) .87 in. Text: 510.400.6690 Radialux 8.8 RGB AL-02-13-9900 Fax: 510.338.6173 ALLOYLED° Radialux 8.8 RGBW AL-02-14-9900